

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 01/14/2013

MSDS No: 7207240101

Date-Revised: 01/14/2013

Revision No: 2

Creative Nail Design Vinylux Color _____

1. PRODUCT AND COMPANY IDENTIFICATION**PRODUCT NAME:** Creative Nail Design Vinylux Color _____**GENERAL USE:** Nail Care**PRODUCT DESCRIPTION:** Creative Nail Design Vinylux Color _____**PRODUCT FORMULATION NAME:** Creative Nail Design Vinylux Color _____**CHEMICAL FAMILY:** Top Coat**GENERIC NAME:** Gel Lacquer**MANUFACTURER**

Creative Nail Design

1125 Joshua Way

Vista, CA 92081

E-Mail: <http://www.cnd.com>**Product Stewardship:** 1-760-599-2900**Service Number:** 1-800-833-NAIL**DISTRIBUTOR**

Creative Nail Design

Colomer USA, Inc.

1125 Joshua Way

Vista, CA 92081

Emergency Contact: Deborah Waite**E-Mail:** deborah.waite@cnd.com**Product Stewardship:** 1-760-599-2900**24 HR. EMERGENCY TELEPHONE NUMBERS****CANUTEC (Canadian Transportation) :**(613) 996 - 6666**CHEMTREC (US Transportation) :**(800) 424 - 9300**2. HAZARDS IDENTIFICATION****HAZARD DESIGNATION**

Flammable liquid

R11: Highly flammable.

GHS CLASSIFICATIONS

Health	Physical
Causes skin irritation, Category 2 Eye Irritation, Category 2A Respiratory Tract Irritation, Category 3	Flammable Liquids, Category 1

GHS LABEL

MATERIAL SAFETY DATA SHEET

Consumer Product





Date Issued: 01/14/2013

MSDS No: 7207240101

Date-Revised: 01/14/2013

Revision No: 2

Creative Nail Design Vinylux Color

 Flame	 Exclamation mark
DANGER	WARNING
H225: Highly flammable liquid and vapour.	5541H9R6: H320 Causes eye irritation
 Exclamation mark	 Exclamation mark
WARNING	WARNING
H315: Causes skin irritation.	H336: May cause drowsiness or dizziness.
Precautionary statement(s) Prevention: P210: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Response: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lens if present and easy to do. Continue rinsing.	

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Liquid

IMMEDIATE CONCERNS: Flammable and may cause eye and skin irritation

POTENTIAL HEALTH EFFECTS

EYES: Causes eye irritation

SKIN: May cause skin irritation.

SKIN ABSORPTION: NA = Not Applicable

INGESTION: Slightly toxic if ingested

INHALATION: May cause headaches and dizziness

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Eye contact with product may cause irritation, tears, redness and pain

SKIN: Long term exposure may cause skin irritation

SKIN ABSORPTION: NA = Not Applicable

INGESTION: Single dose oral toxicity is considered slightly toxic. Small amounts swallowed incidentally are not likely to cause injury

INHALATION: Prolonged or excessive inhalation may cause respiratory tract irritation

ACUTE TOXICITY: Non-Hazardous under normal use and conditions

CHRONIC EFFECTS: None known

CARCINOGENICITY: Not Listed as a carcinogen

MUTAGENICITY: Listed as carcinogen by National Toxicology Program and IARC but not by OSHA

REPRODUCTIVE TOXICITY

REPRODUCTIVE EFFECTS: Listed as carcinogen by National Toxicology Program and IARC but not by

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 01/14/2013

MSDS No: 7207240101

Date-Revised: 01/14/2013

Revision No: 2

Creative Nail Design Vinylux Color

OSHA

TERATOGENIC EFFECTS: This product is not reported to produce Teratogenic effects in humans

MEDICAL CONDITIONS AGGRAVATED: None known when used as directed

ROUTES OF ENTRY: Eyes, Skin, Ingestion

TARGET ORGAN STATEMENT: Eyes, skin and respiratory system

CANCER STATEMENT: Not classified as carcinogen by OSHA, NTP, IARC or EPA

WARNING CAUTION LABELS: **Warning: Flammable.** Precisely follow directions and SDS for use. **store in a cool place. Avoid skin contact.** If redness or other signs of adverse reaction occur, discontinue use immediately. **Keep tightly sealed.** Keep out of sunlight. Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Vol. %	CAS	EINECS
N-butyl Acetate	40 - 45	123-86-4	- -
Acetic Acid Ethyl Ester	28 - 33	141-78-6	205-500-4
2-propanol	3 - 5	67-63-0	200-661-0
Silica, Amorphous	0.05 - 0.25	7631-86-9	231-545-4
Carbon Black	0.05 - 0.15	1333-86-4	- -

COMMENTS: Risk Phrases: N-butyl Acetate: R10 - Flammable, R66 - Repeated exposure may cause skin dryness or cracking, R67 - Vapors may cause drowsiness and dizziness **Risk Phrase:** Acetic Acid Ethyl Ester R11 Highly flammable, R36 Irritating to eye, R66 Repeated exposure may cause skin dryness or cracking, R67 Vapors may cause drowsiness and dizziness. **Risk Phrase:** Silica, Amorphous, R40 Possible risk of cancer, R37 Irritating to respiratory system **Risk Phrase:** Carbon Black, R40 Possible risk of cancer

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists

SKIN: Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse

INGESTION: Do not induce vomiting. Drink plenty of liquids and seek medical attention immediately

INHALATION: If symptoms are experienced, move to fresh air and obtain medical attention if breathing difficulty persists.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: -5°C (29°F) Closed Cup

FLAMMABLE LIMITS: Ethyl Acetate 2.2, Butyl Acetate 1.7 to Ethyl Acetate 11, Butyl Acetate 7.6

AUTOIGNITION TEMPERATURE: NA = Not Applicable

FLAMMABLE CLASS: Flammable Liquid Category 1

GENERAL HAZARD: Flammable Liquid

EXTINGUISHING MEDIA: Foam, Carbon Dioxide or Dry Chemical

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 01/14/2013

MSDS No: 7207240101

Date-Revised: 01/14/2013

Revision No: 2

Creative Nail Design Vinylux Color

HAZARDOUS COMBUSTION PRODUCTS: None Expected**EXPLOSION HAZARDS:** Flammable Liquid**FIRE FIGHTING PROCEDURES:** As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.**FIRE FIGHTING EQUIPMENT:** Use water spray to cool equipment and to disperse vapors**FIRE EXPLOSION:** Flammable vapors may travel along floor to be ignited by distant ignition sources. Containers exposed to fire may develop sufficient internal pressure to rupture with explosive force**SENSITIVE TO STATIC DISCHARGE:** NA = Not Applicable**SENSITIVITY TO IMPACT:** NA = Not Applicable**HAZARDOUS DECOMPOSITION PRODUCTS:** During emergency conditions, overexposure to decomposition products may cause a health hazard.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Absorb spill with inert material (e.g. vermiculite, clay, sand or earth), then place in suitable container. Remove all sources of ignition**LARGE SPILL:** NA = Not Applicable

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid dispersal of spilled material to waterways.**LAND SPILL:** Do not pour on to ground**AIR SPILL:** Not classified as harmful**GENERAL PROCEDURES:** Clean-up with normal janitorial supplies**RELEASE NOTES:** Flammable Liquid

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Keep container tightly closed, cool, dry, and away from sources of ignition. No Smoking**HANDLING:** Wash thoroughly after handling.

Wear impervious gloves

Wear eye protection

STORAGE: Keep out of reach of children

Store in a cool dry area

Store in original container away from sources of heat and/or ignition

Keep in a tightly closed container

Store in ventilated area

Protect against physical damage

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 01/14/2013
MSDS No: 7207240101
Date-Revised: 01/14/2013
Revision No: 2

Creative Nail Design Vinylux Color

Isolate from incompatible substances

Separate from combustibles, organic or other readily oxidizable materials

Avoid storage on wood floors or shelves

STORAGE TEMPERATURE: Room Temperature

LOADING TEMPERATURE: Room Temperature

LOADING/UNLOADING VISCOSITY: NA = Not Applicable

STORAGE PRESSURE: NA = Not Applicable

ELECTROSTATIC ACCUMULATION HAZARD: High Flammable Vapors

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Good general ventilation should be sufficient as maximum occupational exposure limit will not be reached under normal conditions of use

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Avoid contact with eyes

SKIN: S37: Wear suitable gloves

RESPIRATORY: Not normally required. If situation requires a respirator the respirator must meet OSHA's 29 CFR 1910.134 for Organic's

PROTECTIVE CLOTHING: No special clothing required

WORK HYGIENIC PRACTICES: Wash with soap and water after use

OTHER USE PRECAUTIONS: Never eat, drink or smoke in work area

COMMENTS: Butyl Acetate 123-86-4 --- OSHA PEL 150 ppm

Ethyl Acetate 141-78-6 --- OSHA PEL 400 ppm

Isopropanol 67-63-0 --- OSHA PEL 400 ppm

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Ester

APPEARANCE: Viscous Liquid

COLOR: Asphalt

pH: NA = Not Applicable

PERCENT VOLATILE: 30

VAPOR PRESSURE: 100 mm Hg (Ethyl Acetate)

VAPOR DENSITY: NA = Not Applicable

BOILING POINT: 77 C at 1013 hPa (Ethyl Acetate)

FREEZING POINT: NA = Not Applicable

MELTING POINT: NA = Not Applicable

POUR POINT: NA = Not Applicable

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 01/14/2013

MSDS No: 7207240101

Date-Revised: 01/14/2013

Revision No: 2

Creative Nail Design Vinylux Color

FLASHPOINT AND METHOD: -5°C (29°F) Closed Cup**SOLUBILITY IN WATER:** Insoluble**EVAPORATION RATE:** Slower than ether**DENSITY:** Listed as carcinogen by National Toxicology Program and IARC but not by OSHA**SPECIFIC GRAVITY:** 0.990 to 1.010**VISCOSITY:** NA = Not Applicable**MOLECULAR WEIGHT:** NA = Not Applicable**(VOC):** <= to 30**OXIDIZING PROPERTIES:** NA = Not Applicable

10. STABILITY AND REACTIVITY

STABLE: Yes**HAZARDOUS POLYMERIZATION:** No**CONDITIONS TO AVOID:** Open flames, Sunlight, Heat above 120 F and Ignition sources.**POSSIBILITY OF HAZARDOUS REACTIONS:** None Expected**HAZARDOUS DECOMPOSITION PRODUCTS:** Methane, oxides of nitrogen. Carboxylic acid, various hydrocarbons, oxides of carbon, aldehydes, hydrogen cyanide, acids.**INCOMPATIBLE MATERIALS:** Sodium hydroxide, nitric acid, oxidizers, acids, alkali, metal, amines

11. TOXICOLOGICAL INFORMATION

EYE EFFECTS: NA = Not Applicable**SKIN EFFECTS:** NA = Not Applicable**CARCINOGENICITY****IARC:** NA = Not Applicable**NTP:** NA = Not Applicable**OSHA:** NA = Not Applicable

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not classified as harmful**AQUATIC TOXICITY (ACUTE):** Not classified as harmful

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with EU Regulations, US Federal, State or Local Regulations**FOR LARGE SPILLS:** NA = Not Applicable**PRODUCT DISPOSAL:** Dispose in accordance with Federal, State and Local regulations**EMPTY CONTAINER:** No special requirements but recycle container if possible**RCRA/EPA WASTE INFORMATION:** Flammable Liquid**RCRA HAZARD CLASS:** D001

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 01/14/2013
MSDS No: 7207240101
Date-Revised: 01/14/2013
Revision No: 2

Creative Nail Design Vinylux Color

EUROPEAN WASTE CATALOGUE: Flammable Liquid

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Flammable Liquid, N.O.S.

TECHNICAL NAME: Paint

PRIMARY HAZARD CLASS/DIVISION: 3

UN/NA NUMBER: 1263

PACKING GROUP: II

NAERG: 128

U.S. SURFACE FREIGHT CLASS: Consumer Commodity / Limited Quantity

BULK FREIGHT CLASS: Flammable liquid

PLACARDS: Flammable Liquid

LABEL: Limited Quantity

ROAD AND RAIL (ADR/RID)

PROPER SHIPPING NAME: Flammable Liquid, N.O.S.

UN NUMBER: 1263

HAZARD CLASS: 3

PACKING GROUP: II

LIMITED QUANTITY: < 5 L

SPECIAL PROVISIONS: Consumer Commodity

LABEL: Limited Quantities

ROAD AND RAIL (UK only) (CDG):

HAZARD CLASS: Flammable Liquid

SPECIAL PROVISIONS: Limited Quantity

AIR (ICAO/IATA)

SHIPPING NAME: Flammable Liquid, N.O.S.

TECHNICAL NAME: Paint

UN/NA NUMBER: 1263

PRIMARY HAZARD CLASS/DIVISION: 3

PACKING GROUP: II

ERG: 128

SPECIAL PROVISIONS: Limited Quantity Consumer Commodity

PLACARDS: Flammable Liquid

LABEL: Limited Quantities

VESSEL (IMO/IMDG)

SHIPPING NAME: Flammable Liquid, N.O.S.

TECHNICAL NAME: Paint

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 01/14/2013
MSDS No: 7207240101
Date-Revised: 01/14/2013
Revision No: 2

Creative Nail Design Vinylux Color

UN/NA NUMBER: 1263

PRIMARY HAZARD CLASS/DIVISION: 3

PACKING GROUP: II

LIMITED QUANTITY: < 5 L

EmS: 128

PLACARDS: Flammable Liquid

LABEL: Limited Quantities

SPECIAL PROVISIONS: Consumer Commodity Limited Quantity

CANADA TRANSPORT OF DANGEROUS GOODS

SHIPPING NAME: Flammable Liquid, N.O.S.

TECHNICAL NAME: Paint

UN/NA NUMBER: 1263

PRIMARY HAZARD CLASS/DIVISION: 3

PACKING GROUP: II

TERTIARY HAZARD CLASS/DIVISION: 3

CANUTEC GUIDE: 128

PLACARDS: Flammable Liquid

LABEL: Limited Quantities

15. REGULATORY INFORMATION

UNITED STATES

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION



Flammable Liquid
Consumer Commodity Limited Quantity

R11: Highly flammable.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: No chemical in this material is subject to reporting

FIRE: Yes **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** Yes **CHRONIC:** No

313 REPORTABLE INGREDIENTS: No chemical in this material is subject to reporting

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: NA = Not Applicable

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: Butyl Acetate

CERCLA RQ: 5000 lbs

EPA

EPA RQ INGREDIENT: NA = Not Applicable

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 01/14/2013

MSDS No: 7207240101

Date-Revised: 01/14/2013

Revision No: 2

Creative Nail Design Vinylux Color

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: Listed

CLEAN AIR ACT

40 CFR PART 68---RISK MANAGEMENT FOR CHEMICAL ACCIDENT RELEASE

PREVENTION: NA = Not Applicable

OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA)

29 CFR1910.119---PROCESS SAFETY MANAGEMENT OF HIGHLY HAZARDOUS

CHEMICALS: NA = Not Applicable

REGULATIONS

STATE REGULATIONS: Flammable Liquid

LOCAL REGULATIONS: Flammable Liquid

CALIFORNIA PROPOSITION 65: NA = Not Applicable

RCRA STATUS: D001

OSHA HAZARD COMM. RULE: Flammable Liquid

CLEAN WATER ACT: NA = Not Applicable

NATIONAL RESPONSE CENTER: Flammable

CARCINOGEN: Not listed as a human carcinogen

USDA (U.S. DEPARTMENT OF AGRICULTURE): NA = Not Applicable

FIFRA (FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT): NA = Not Applicable

SDWA (SAFE DRINKING WATER ACT): NA = Not Applicable

FDA (FOOD AND DRUG ADMINISTRATION): This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)

DEA (DRUG ENFORCEMENT PRECURSOR & ESSENTIAL CHEMICALS) LISTED SUBSTANCE: NA
= Not Applicable

CANADA

WHMIS HAZARD SYMBOL AND CLASSIFICATION



Flammable Liquid
Consumer Commodity Limited Quantity

R11: Highly flammable.

WHMIS (WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM): Consumer Commodity

WHMIS CLASS: Flammable Liquid

EUROPEAN COMMUNITY

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 01/14/2013

MSDS No: 7207240101

Date-Revised: 01/14/2013

Revision No: 2

Creative Nail Design Vinylux Color

EEC LABEL SYMBOL AND CLASSIFICATION



Flammable liquid
Consumer Commodity Limited Quantity

R11: Highly flammable.

INTERNATIONAL REGULATIONS

(WGK) CLASSIFICATION: Consumer Commodity Limited Quantity

MEXICO Flammable Liquid

GENERAL COMMENTS: EU: All componets are in compliance with the EC Seventh amendment Directive 92 /32/EEC

Japan: All components are in compliance with the Chemical Substance Control Law of Japan

Australia: All components are in compliance with chemical notification requirements in Australia

New Zealand: All components are in compliance with chemical notation requirements in New Zealand

Canada: All components are in compliance with Canadian Environmental Protection Act and are present on the Domestic Substance List

Switzerland: All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland

Korea: All components are in compliance in Korea

Philippines: All components are in compliance with the philippines Toxic Substance and Hazardous and Nuclear Waste Control Act of 1990 (R.A. 6969)

China: All components of this product are listed on the Inventory of Existing Chemical Substances in China

16. OTHER INFORMATION

REASON FOR ISSUE: New Product

APPROVED BY: The R & D Department

PREPARED BY: The Safety Department

REVISION SUMMARY: Revision #: 2. This MSDS replaces the January 14, 2013 MSDS.

MATERIAL SAFETY DATA SHEET

Consumer Product

Date Issued: 01/14/2013

MSDS No: 7207240101

Date-Revised: 01/14/2013


Revision No: 2

Creative Nail Design Vinylux Color

HMIS RATING

HEALTH:	1
FLAMMABILITY:	4
PHYSICAL HAZARD:	0
PERSONAL PROTECTION:	

NFPA CODES



MANUFACTURER SUPPLEMENTAL NOTES: Read all warnings and directions on packaging carefully before use

DATA SOURCES: Keep out of reach of children. For external use only

ADDITIONAL MSDS INFORMATION: Flammable Liquid keep away from open flames and heat sources

GENERAL STATEMENTS: All information appearing herein is based upon data obtained from the manufactures and/or recognized techical sources. While the information is believed to be accurate Colomer USA, Inc. makes no repretation as to it's accuracy or sufficiency. Judment as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although resonable care has been taken in the preparation of such information, Colomer USA, Inc. extends no warranties, makes no representations or assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purpose or for consequences of its use.

COMMENTS: Cosmetic products are exempted from Safety data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of chemicals (REACH) in europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standart 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetic are covered by the Food and Drug Adminstration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.

MANUFACTURER DISCLAIMER: Avoid contact with the eyes and wear gloves