## **SAFETY DATA SHEET**

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

## MOROCCANOIL STAIN REMOVER

### Date: 17 Feb 2021

Vers: 0

## SECTION 1: Identification of the substance / mixture and of the company / undertaking

## 1.1 Product identifier

Product description: MOROCCANOIL STAIN REMOVER Product code: CI020949 - CI020949

#### 1.2 Relevant identified uses of the substance or mixture

cosmetic product

## **1.3 Details of the supplier of the safety data sheet**

BEAUTY & BUSINESS S.P.A. Via Ciserano, snc. - 24046 Osio Sotto (BG) - ITALY Tel.: 035 4197798 Fax: 035 4197734 e-mail: schede.sicurezza@alfaparfgroup.it

### **1.4 Emergency telephone number**

BEAUTY & BUSINESS S.P.A. Tel.: 035 4197798 (office hours)

## SECTION 2: Hazard identification

## 2.1 Classification of the substance/mixture according to (EC) 1272/2008

Eye Irrit. 2 Flam. Liq. 3

### 2.2 Label according to (EC) 1272/2008



GHS02 GHS07

Signal Word: Warning

Hazard statement:

H226 Flammable liquid and vapour

H319 Causes serious eye irritation

Precautionary statement (Disposal)

P501 Dispose of contents/container in accordance with local/ regional/national/international regulation <u>Precautionary statement (Prevention)</u>

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash hands and other skin areas exposed to material thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection

## Precautionary statement (Response)

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P370 + P378 In case of fire: Use appropriate media for extinction (see Section 5 on this label)

### 2.3 Additional hazards

None known

## SECTION 3: Composition / informations on ingredients

### 3.1 Substances:

Not applicable

## 3.2 Mixture:

3-5 % BENZYL ALCOHOL

Acute Tox. 4 H332 – Acute Tox. 4 H302 CAS#: 100-51-6 EINECS#: 202-859-9

## 20-30 % ISOPROPYL ALCOHOL

Flam. Liq. 2 H225 – Eye Irrit. 2 H319 – STOT SE 3 H336 CAS#: 67-63-0 EINECS#: 200-661-7

20-30 % ALCOHOL DENAT.

Flam. Liq. 2 H225 – Eye Irrit. 2 H319

CAS#: 64-17-5 EINECS#: 200-578-6

## 1-3 % SODIUM LAURETH SULFATE

Eye Dam. 1 H318 – Skin Corr. 2 H315 – Aquatic Chronic 3 H412

CAS#: 9004-82-4 ; 1335-72-4 ; 68891-38-3 ; 68585-34-2 EINECS#:

## < 1 % ARGININE

Eye Irrit. 2 H319

CAS#: 74-79-3 EINECS#: 200-811-1

## SECTION 4: First aid measures

## 4.1 Description of first aid measures

## Inhalation

Move victim to a well-ventilated place or into fresh air; in case of malaise get medical advice.

## Skin contact

Wash off with plenty of water. Change clothing if necessary. If irritation persists, or tissue damage shows, seek for medical advice.

### <u>Eye contact</u>

Flush eyes under running water for a few minutes, keeping eyelids well opened. If pain persists, seek for medical advice.

#### **Ingestion**

Do not induce vomiting, unless after obtaining medical authorization to do so. Never give anything by mouth to an unconscious person. Consult a physician, showing the safety data sheet.

#### 4.2 Main symptoms

Symptoms and effects known are reported in Section 2 and/or Section 11. Other effects are possible.

### 4.3 Indications for medical intervention and / or specific treatments

Treatments: symptomatic treatment.

#### SECTION 5: Fire fighting measures

#### 5.1 Extinguishing media

Water, CO2, foam, dry powder, depending on the materials affected by the fire.

## 5.2 Special hazards by the product/itself

In case of fire, carbon oxides can be released. In some case, if fire occurs, some dangerous combustion products can be released.

### 5.3 Advice for fire-fighters

Avoid breathing fumes.

Wear self-contained breathing apparatus if necessary.

### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protection equipment and emergency procedures:

Wear self-contained breathing apparatus, gloves and protective clothes. Refer to Section 8.

#### 6.2 Environmental precautions

Limit leakages and spillage with sand or soil.

### 6.3 Methods e materials for containment

Quickly collect the product wearing protective mask and clothing.

If the product is in a liquid form, prevent it goes into the sewer system. Collect the product for re-use if possible, or for the disposal. Eventually absorb with inert material.

After collecting residues, wash interested zone and materials with water.

### 6.4 Reference to other sections

Where appropriate, reference is made to sections 8 and 13.

### SECTION 7: Handling and storage

For transport, storage and handling only use suitable materials.

### 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Avoid contact and inhalation of vapours. See also paragraph 8.

When using do not eat or drink.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool and dry place. Avoid direct exposure to the sun. Keep away from open flames, sparks and other sources of ignition. No smoking. Make sure there is adequate ventilation.

### 7.3 Specific final uses

No data available

## SECTION 8: Exposure controls / personal protection

## 8.1 Control parameters

No data available

### 8.2 Exposure control

### Personal protective equipment

General protective and hygienic measures.

At work do not eat, drink or smoke. Use of appropriate protection measures for hands, eyes, skin and respiratory system. The manufacturer of the protective equipment should ensure that the means are appropriate to the concerned product.

### **Respiratory protection**

If threshold value for daily exposure in the workplace is exceeded, wear a half-mask type FFP3 (ref. STANDARD EN 141). In the case the substance is odorless or its olfactory threshold is higher than the relative exposure limit, or in case of emergency, i.e. when exposure levels are unknown or the concentration of oxygen in the workplace is less than 17% volume, wear a compressed air breathing apparatus (EN 137) or fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece (EN 138).

### Hand protection

Protect your hands with gloves category II (ref. Dir. 89/686 / EEC and standard EN 374) such as PVC, nitrile, neoprene or equivalent.

### Eye protection

Safety glasses with side shields (EN 166).

## Additional information about design of technical facilities

Workplace must be adequately ventilated. Where possible, install localized air intake system and effective system for general air exchange.

If these measures are not sufficient to maintain concentrations of particulates and solvent vapors below the exposure limit, you will need to make use of appropriate respiratory protection.

SECTION 9: Physical and chemical properties		
Aspect:	Clear Liquid	
Colour:	Light Yellow	
Odour:	Characteristic	
Density:	0,915 - 0,925 g/cm3	
Dry content (110 °C):	15,0 - 18,0 %	
pH:	9,50 - 10,50	
Viscosity, dynamic:	n.a.	
Flash point:	25	

## SECTION 10: Stability and reactivity

### **10.1 Reactivity**

There are no data available on the product itself.

### **10.2 Chemical stability**

The product is stable in normal conditions of use and storage (refer to paragraph 7).

## 10.3 Possibility of hazard reactions

None relevant.

## 10.4 Conditions to avoid

Avoid high temperatures. Keep the product away from open flames. Avoid to expose the container to the direct sunlight.

## **10.5 Incompatible materials**

Strong acids, strong oxidants.

## 10.6 Hazardous decomposition products

The combustion can release carbon oxides.

## SECTION 11: Toxicological informations

No toxicological data available on the product itself. Consider then, the concentration of each substance in assessing the toxicological effects deriving from the preparation.

## 11.1 Information on toxicological effects

Set out below is the toxicological information relating to the main substances in the preparation:

ALCOHOL DENAT. LD 50 Oral rat: 50 mg/Kg BENZYL ALCOHOL LD 50 Oral rat: 1230 mg/Kg ISOPROPYL ALCOHOL LD 50 Oral rat: 4710 mg/Kg SODIUM LAURETH SULFATE LD 50 Oral rat: 5000 mg/Kg

## **SECTION 12: Ecological informations**

Adopt good working practices, avoiding littering.

#### 12.1 Toxicity

ALCOHOL DENAT. LC 50: 13000 mg/l/96h BENZYL ALCOHOL LC 50: 10 mg/l/96h SODIUM LAURETH SULFATE LC 50: 100 mg/l/96h

12.2 Persistence
No data available.
12.3 Bioaccumulative potential
No data available.
12.4 Motility in soil
No data available.
12.5 Results of PBT e vPvB assessment
No data available.
12.6 Other adverse effects
No data available.
SECTION 13: Disposal consideration
13.1 Methods of treatment of the waste
Operate in compliance with local and national regulations.
Contaminated packaging Collect all residues and contaminated packaging. After an appropriate cleaning, packaging can be recycled. Uncleaned packaging must be disposed of under the same requirements of the product.
SECTION 14: Transport informations
14.1 UN Number:
1266
14.2 UN Proper Shipping Name:
PERFUMERY PRODUCTS
14.3 Transport Hazard Class(es):
3
14.4 Packaging Group:
III
14.5 Environmental Hazards
Marine pollutant: NO
14.6 Special Precautions for Users
(ADR) Tunnel Restriction Code: 3 (D/E)
(IMDG) EmS Number:
(IMDG) Stowage and Segregation:
14.7 Trasport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:
Not applicable

## SECTION 15: Regulatory informations

## 15.1 Regulations

Regulation (EC) 1907/2006 (REACH) and following amendments Regulation (EC) 1272/2008 (CLP) and following amendments

## Regulation (EC) 1223/2009 (Cosmetic Regulation) and following amendments

In the EU, finished cosmetic products are exempted from any obligation of classification and hazard labeling, as well as from provisions concerning safety data sheets [(Reg. (EC) 1907/2006, art. 2, comma 6, letter b) and Reg. (EC) 1272/2008 art. 1, comma 5, letter c)].

## **15.2** Evaluation of chemical security

No data available

## **SECTION 16: Other informations**

The data contained in this safety data sheet are based on our current knowledge and experience at the date indicated above. The user must verify the suitability and completeness of such information, in relation to the particular use intended. This safety data sheet cancels and replaces any previous releases of the same.

According to Regulation (EC) N° 1907/2006 (REACH) with its amendment Regulation (EC) N° 2015/830

Sources of Key Data:

## Regulation (EC) N° 1272/2008 and Regulation (EC) N° 1907/2006, with following amendments

### Full text of hazard categories and H and EUH statements:

Acute Tox. 4	Acute toxicity (dermal) Cat. 4
Acute Tox. 4	Acute toxicity (inhalation) Cat. 4
Acute Tox. 4	Acute toxicity (oral) Cat. 4
Aquatic Acute 1	Hazardous to the aquatic environment - acute toxicity Cat. 1
Aquatic Chronic 2	Hazardous to the aquatic environment - chronic toxicity Cat. 2
Aquatic Chronic 3	Hazardous to the aquatic environment - chronic toxicity Cat. 3
Eye Dam. 1	Serious eye Damage Cat. 1
Eye Irrit. 2	Eye irritation Cat. 2
Flam. Liq. 2	Flammable liquid Cat. 2
Flam. Liq. 3	Flammable liquid Cat. 3
Skin Corr. 1A/1B/1C	Skin Corrosion Cat. 1A/1B/1C
Skin Irr. 2	Skin irritation Cat. 2
Skin Sens. 1	Skin Sensitization Cat. 1
STOT SE Cat. 3	STOT SE Cat. 3
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long-lasting effects
H412	Harmful to aquatic life with long-lasting effects

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Eye Irrit. 2	H319	Calculation method
Flam. Liq. 3	H226	Calculation method

## Acronyms:

ADR	Accord européen relatif au transport international des merchandises Dangereuses par Route
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
EC	European Community
EEC	European Economic Community
EINECS	European Inventory of Existing Commercial Chemical Substances
EN	European Norm
EU	European Union
FFP	Filtering Facepiece
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LD (0/50/100)	Lethal Dose (0/50/100)
N.A.	Not Applicable
N.D.	No Date
РВТ	Persistent, Bioaccumulative and Toxic
PVC	PolyVinylChloride
REACH	Registration, Evaluation, Authorisation and Restriction of Chemical Substances
UN	United Nations
vPvB	very Persistent very Bioaccumulative