$0.6 \cdot 1$

SAFETY DATA SHEET

Page 1 of 6 SDS-363

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 9/29/2016

1. PRODUCT & COMPANY IDENTIFICATION					
1.1	Product Name:	OPI ProSpa NAIL & CUTICLE OIL TO GO			
1.2	Chemical Name:	Natural Oil Mixture			
1.3	Synonyms:	NA NA			
1.4	Trade Names:	AS203			
1.5	Product Use:	Professional Or Sundry Use Only			
1.6	Distributor's Name:	OPI Products, Inc.			
1.7	Distributor's Address:	13034 Saticoy Street, No. Hollywood, CA 91605 USA			
1.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377)			
1.9	Business Phone / Fax:	+1 (818) 759-2400 / +1 (818) 759-5776			

2. HAZARDS IDENTIFICATION

2.1 Hazard Identification:

This product is not classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia).

WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION.

Classification: Skin Sens. 1A

Hazard Statements (H): H317 – May cause an allergic skin reaction.

Precautionary Statements (P): P261 – Avoid breathing mist/spray. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves. P302+P352

- IF ON SKIN: Wash with plenty of soap and water. P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention. P321 - Specific treatment (See Section 4 of this Safety Data Sheet).

P362+P364 - Take off contaminated clothing and wash before reuse.



3. COMPOSITION & INGREDIENT INFORMATION

					EXPOSURE LIMITS IN AIR (mg/m³)								
					AC	GIH		NOHSC			OSHA		
					pp	m		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
PERSEA GRATISSIMA (AVOCADO)	8024-32-6	CL2680000	232-428-0	15-40	NA	NA	NF	NF	NF	NA	NA	NA	OTHER
OIL	0021020	OLLOGOGG	202 120 0	10 10	107	147 (14/	147 (
ETHYLHEXYL PALMITATE	29806-73-3	NA	249-862-1	10-30	NA	NA	NF	NF	NF	NA	NA	NA	
		T	1	1									
VITIS VINFERA (GRAPE) SEED OIL	8024-22-4	NA	273-313-5	10-30	NA	NA	NF	NF	NF	NA	NA	NA	
HELIANTHUS ANNUUS	84776-03-4	NA	232-273-9	5-10	NA	NA	NF	NF	NF	NA	NA	NA	
(SUNFLOWER) SEED OIL													
	142-91-6	RT4900000	205-571-1	5-10	NA	NA	NF	NF	NF	NA	NA	NA	
ISOPROPYL PALMITATE	Skin Irrit. 2; Ey	e Irrit. 2A; H315,	H319	1	•	•	•	•					
LEGITUM	8002-43-5	OG7565000	297-639-2	5-10	NA	NA	NF	NF	NF	NA	NA	NA	
LECITHIN													
SESAMUM INDICUM (SESAME)	8008-74-0	VU3940000	232-370-6	5-10	NA	NA	NF	NF	NF	NA	NA	NA	
SEED OIL													
SILICA	60676-86-0	VV7310000	262-373-8	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
	Eye Irrit. 2A; S	TOT SE 3; H319,	H335										
CAPRYLIC/CAPRIC	65381-09-1	NA	265-724-3	5-10	NA	NA	NF	NF	NF	NA	NA	NA	
TRIGLYCERIDE													
FRAGRANCE (PARFUM)	NA	NA	NA	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
FRAGRANCE (FARFOW)													
ALEURITES MOLUCCANUS	8015-80-3	NA	NA	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
SEED OIL				•								•	
BHT (BUTYLATED	128-37-0	GO78775000	204-881-4	0.1-1.0	2	NA	10	NF	NF	10	NA	NA	
HYDROXYTOLUENE)	Aquatic Acute	1; Aquatic Chroni	ic 1; H400, H410)									
ALCOHOL	64-17-5	KQ6300000	200-578-6	0.1-1.0	1000	3000	1000	1880	NF	100	3000	3300	
ALCOHOL	Flam. Liq. 2; H												
OLEIC ACID	112-80-1	RG2275000	204-007-1	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
		T	1										
GLYCERYL STEARATE	11099-07-3	NA	234-325-6	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
	201222 27 2	Ta i a	Tarra	10.4.4.0									
THEOBROMA GRANDIFLORUM SEED BUTTER	394236-97-6	NA	NA	0.1-1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ACCORDIVI DALMITATE	137-66-6	NA	205-305-4	0.0-0.1	NA	NA	NF	NF	NF	NA	NA	NA	
ASCORBYL PALMITATE			•										

 $0.6 \cdot 1$

SAFETY DATA SHEET

Page 2 of 6 SDS-363

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 9/29/2016 3. COMPOSITION & INGREDIENT INFORMATION - cont'd EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. STEL STEL PEAK STEL IDLH OTHER 0.0-0.1 54-28-4 NA 200-201-5 NF NA NA NF NF NA NA NA TOCOPHEROL Aquatic Chronic 4; H413 8002-75-3 NA 232-316-1 0.0-0.1 NA NA NF NF NF NA NA NA ELAEOS GUINEENSIS (PALM) OIL 84650-60-2 CAMELLIA SINESIS LEAF NA 283-935-9 0.0-0.1 NA NA NF NF NF NA NA NA 4. FIRST AID MEASURES 4.1 First Aid: If ingested, do not induce vomiting. Drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, Ingestion: continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed. If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and Eyes: close eyelid(s) to ensure thorough irrigation. If problem persists, consult a physician. If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of Skin: warm water and soap. If irritation persists, consult a physician. Inhalation: Remove victim to fresh air at once. 42 Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Ingestion: Slightly irritating to the eyes. Eyes: May be irritating to skin in some sensitive individuals, especially after prolonged contact. Skin: Inhalation is unlikely; however, vapors of this product may be slightly irritating to some sensitive Inhalation: individuals. 4.3 Symptoms of Overexposure: Symptoms of overexposure may include redness, itching, and irritation. 4.4 Acute Health Effects: Redness, itching, and irritation of skin at the site of contact for some sensitive individuals. 4.5 Chronic Health Effects: No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure following ingestion. 4.6 Target Organs: Eyes, Skin. 4.7 Medical Conditions None known. **HEALTH** 1 Aggravated by Exposure: **FLAMMABILITY** 0 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT Α 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is non-flammable. However, if involved in a fire, this product may ignite and decompose to carbon monoxide, carbon dioxide and smoke. 5.2 Extinguishing Methods: Water Fog, Foam, Dry Chemical. Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personnel. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous decomposition products. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 3 of 6 SDS-363

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 9/29/2016 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid eye contact 72 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: NOHSC OSHA OTHER ppm (mg/m³) STEL TLV STEL PEL IDLH STEI CHEMICAL NAME(S) TWA PEAK BHT (BUTYLATED NF NF NA HYDROXYTOLUENE) ALCOHOL 1000 3000 1000 1880 NF 100 3000 3300 Ventilation & Engineering 8.2 When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Controls Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes Respiratory Protection: 8.3 8 4 Eve Protection: None required under normal conditions of use. Avoid eye contact. May cause irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), safety glasses with side 8.5 Hand Protection: None required under normal conditions of use. May cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves Body Protection: 8.6 No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES 9 1 Appearance: Clear to off white oil 92 Odor 9.3 Odor Threshold: ND 9.4 NA 9.5 Melting Point/Freezing Point: ND 9.6 Initial Boiling Point/Boiling ND Range: 9.7 Flashpoint Non-flammable 9.8 Upper/Lower Flammability NA/NA Limits: 9.9 Vapor Pressure ND Vapor Density: 9.10 NA Relative Density: 9 11 NA Solubility: 9 12 Soluble in water Partition Coefficient (log Pow): 9 13 NA 9.14 **Autoignition Temperature** NA 9.15 Decomposition Temperature: NA 9 16 Viscosity: NA 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable 10.2 Hazardous Decomposition Oxides of carbon and nitrogen. Products: 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid Open flames, sparks, high heat and direct sunlight. 10.5 Incompatible Substances: None known or reported. 11. TOXICOLOGICAL INFORMATION Routes of Entry: Inhalation: NO Absorption: YES 11.1 Ingestion: YES 11.2 Toxicity Data: The product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document. 11.3 Acute Toxicity: See Section 4.4 11 4 Chronic Toxicity See Section 4.5 11.5 Suspected Carcinogen: This product contains BHT (Butylated HydroxyToluene) which is not carcinogenic to humans, but is listed as a Group 3 carcinogen by IARC

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 4 of 6 SDS-363

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 9/29/2016 11. TOXICOLOGICAL INFORMATION - cont'd 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans. Embryotoxicity This product is not reported to produce embryotoxic effects in humans Teratogenicity: This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.3 11.8 Biological Exposure Indices NE Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 **Environmental Stability** There are no specific data available for this product. 12.2 Effects on Plants & Animals There are no specific data available for this product. 12.3 Effects on Aquatic Life There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose of in accordance with federal, state and local regulations Special Considerations: 13.2 Packaging should be emptied as much as possible and after rinsing, sent for recycling 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): 14.1 NOT REGULATED 14.2 IATA (AIR): **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): NOT REGULATED ADR/RID (EU): 14.5 **NOT REGULATED** 14.6 SCT (MEXICO) **NOT REGULATED** ADGR (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting 15.1 This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. **CERCLA Reportable Quantity** 15.4 NA Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics) 15.6 Other Canadian Regulations This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects) State Regulatory Information: No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state 15.7 criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: NA

 $O \cdot P \cdot I$

SAFETY DATA SHEET

Page 5 of 6 SDS-363

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 9/29/2016 16. OTHER INFORMATION WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. IF IN EYES: Rinse cautiously with water for several 16.1 Other Information: minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Use only as directed. KEEP OUT OF REACH OF CHILDREN. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: **OPI Products, Inc.** 13034 Saticoy Street $0.P \cdot I$ No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com

SAFETY DATA SHEET

Page 6 of 6 **SDS-363**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 9/29/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists		
TLV Threshold Limit Value			
OSHA U.S. Occupational Safety and Health Administration			
PEL Permissible Exposure Limit			
IDLH Immediately Dangerous to Life and Health			

FIRST AID MEASURES:

Cardiopulmonary resuscitation - method in which a person whose heart has
stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	1 Slight Hazard			
2 Moderate Hazard				
3 Severe Hazard				
4	Extreme Hazard			



PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Е			
F	T		







Synthetic Apron



Protective Clothing & Full Suit

(Cy

Dust Respirator

Full Face Respirator

Dust & Vapor Half-Mask Respirator

Full Face Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature Minimum temperature required to initiate combustion in air with no source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{lo} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	IIS Canadian Workplace Hazardous Material Information System			
DOT	DOT U.S. Department of Transportation			
TC	Transport Canada			
EPA	EPA U.S. Environmental Protection Agency			
DSL	DSL Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	EU European Union (European Union Directive 67/548/EEC)			
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	((2)	(3)	Θ	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		M	*			×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Diamond		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment