MATRIX & BIOLAGE

SAFETY DATA SHEET

1. Identification

Product identifier BIOLAGE BOND THERAPY SHAMPOO

Other means of identification

SDS number 00-11-0001239

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc

133 Terminal Avenue Clark, NJ 07066

USA

Canadian Address: L'Oreal Canada

4895 rue Hickmore

Ville St-Laurent, H4T 1K5

Canada

Emergency Phone #: 1-800-535-5053 (International: 352-323-3500)

In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control #: 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 1

Reproductive toxicity (the unborn child) Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes serious eye damage. Suspected of damaging the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor. Take off contaminated

clothing and wash it before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: BIOLAGE BOND THERAPY SHAMPOO
1218346MX11 Version #: 02 Revision date: 02-03-2023 Issue date: 02-02-2023

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
DECYL GLUCOSIDE		68515-73-1	< 12
SODIUM COCOYL ISETHIONATI	=	61789-32-0	≤ 11
CITRIC ACID		77-92-9	< 2
SALICYLIC ACID		69-72-7	≤ 0.2

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information IF exposed or concerned: Get medical advice/attention.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Material name: BIOLAGE BOND THERAPY SHAMPOO

7. Handling and storage

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not get this material in contact with eyes. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away

from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full

facepiece.

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear suitable protective clothing. Use of an impervious

apron is recommended.

Respiratory protection Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full

facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Color Not available.

Odor Not available.

Odor threshold Not available.

pH 5.3 - 5.9

Melting point/freezing point Not available.

Initial boiling point and boiling

range

> 212 °F (> 100 °C)

Flash point > 199.9 °F (> 93.3 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Material name: BIOLAGE BOND THERAPY SHAMPOO

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

1.04 g/cm3 Density **Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Not known. **Acute toxicity**

Product Test Results Species

BIOLAGE BOND THERAPY SHAMPOO

Acute Dermal

ATEmix 893600 mg/kg

Oral

ATEmix 68870 mg/kg Components **Species Test Results**

CITRIC ACID (CAS 77-92-9)

Acute **Dermal**

LD50 Rat > 2000 mg/kg bw OECD 402

Oral

LD50 Mouse 5400 mg/kg bw OECD 401

DECYL GLUCOSIDE (CAS 68515-73-1)

Acute Dermal

Rabbit LD50 > 2000 mg/kg OECD 402

Oral

LD50 Rat > 5000 mg/kg OECD 401

Material name: BIOLAGE BOND THERAPY SHAMPOO

SDS US 1218346MX11 Version #: 02 Revision date: 02-03-2023 Issue date: 02-02-2023

Components Species Test Results

SALICYLIC ACID (CAS 69-72-7)

Acute Dermal

LD50 Rat > 2000 mg/kg OECD 402

Oral

LD50 Rat 891 mg/kg OECD 401

SODIUM COCOYL ISETHIONATE (CAS 61789-32-0)

Acute Oral

LD50 Rat > 2000 mg/kg OECD 401

Skin corrosion/irritationDue to partial or complete lack of data the classification is not possible. No adverse effects due to

skin contact are expected.

Irritation Corrosion - Skin

DECYL GLUCOSIDE OECD 404

Result: Not Irritating Species: Rabbit OECD 404

SALICYLIC ACID OECD 40

Result: Not Irritating Species: Rabbit OECD 404

CITRIC ACID OECD 404

Result: Slightly Irritating Species: Rabbit

SODIUM COCOYL ISETHIONATE OECD 404

Result: Slightly Irritating

Species: Rabbit

Serious eye damage/eye Causes serious eye damage.

irritation

Irritation Corrosion - Eye

DECYL GLUCOSIDE OECD 405

Result: Corrosive Species: Rabbit

CITRIC ACID OECD 405

Result: Irritating Species: Rabbit

SODIUM COCOYL ISETHIONATE OECD 405

Result: Irritating Species: Rabbit

SALICYLIC ACID Result: Severely Irritating

Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization

DECYL GLUCOSIDE OECD 406

Result: Not Sensitizing

Species: Guinea pig

SODIUM COCOYL ISETHIONATE OECD 406

Result: Not Sensitizing Species: Guinea pig

CITRIC ACID OECD 406

Result: Not Sensiziting Species: Guinea pig

SALICYLIC ACID OECD 429

Result: Not Sensitizing

Species: Mouse

Germ cell mutagenicityDue to partial or complete lack of data the classification is not possible.

Mutagenicity

CITRIC ACID Result: In vitro and in vivo tests did not show mutagenic

effects.

Mutagenicity

DECYL GLUCOSIDE Result: In vitro and in vivo tests did not show mutagenic

effects.

SODIUM COCOYL ISETHIONATE Result: In vitro tests did not show mutagenic effect

Carcinogenicity Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the

classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging the unborn child.

Developmental effects

CITRIC ACID > 295 mg/kg bw/d. No effects on development

Result: NOAEL Species: Rat

SODIUM COCOYL ISETHIONATE 1000 mg/kg bw/d OECD 414, Based on test data for

structurally similar materials.

Result: NOEL Species: Rat

DECYL GLUCOSIDE 1000 mg/kg bw/d OECD 414, No effects on development

Species: Rat

SALICYLIC ACID 75 mg/kg bw/d OECD 414

Result: NOAEL Species: Rat

Reproductivity

SODIUM COCOYL ISETHIONATE 1000 mg/kg bw/d OECD 421, Based on test data for

structurally similar materials.

Result: NOAEL Species: Rat

DECYL GLUCOSIDE 1000 mg/kg bw/d OECD 421, No effects on fertility

> Result: NOAEL Species: Rat

SALICYLIC ACID 250 mg/kg bw/d OECD 416, Based on test data for

structurally similar materials.

Result: NÓAEL Species: Rat

CITRIC ACID 2500 mg/kg bw/d, No effects on fertility

Result: NOAEL Species: Rat

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -Due to partial or complete lack of data the classification is not possible.

repeated exposure

SODIUM COCOYL ISETHIONATE >= 1000 mg/kg bw/d OECD 407, Oral

Result: NOAEL Species: Rat Test Duration: 28 d

>= 2070 mg/kg bw/d OECD 410, Dermal

Result: NOAEL Species: Rat Test Duration: 28 d

DECYL GLUCOSIDE 1000 mg/kg bw/d EU B.26, Oral

Result: NOAEL Species: Rat Test Duration: 90 d

CITRIC ACID 4000 mg/kg bw/d, Oral

Result: NOAEL Species: Rat Test Duration: 10 d

Material name: BIOLAGE BOND THERAPY SHAMPOO

SDS US 1218346MX11 Version #: 02 Revision date: 02-03-2023 Issue date: 02-02-2023

700 mg/m3 air OECD 412, Based on test data for structurally

Test Results

similar materials. Result: NOEC Species: Rat Test Duration: 28 d

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

The reference to any animal testing for individual constituents mentioned in this document is **Further information**

based on public, third-party data.

Species

12. Ecological information

Components

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	rest Results
CITRIC ACID (CAS 77-	92-9)		
Aquatic			
Algae	EC50	Microcystis aeruginosa	80 mg/l, 7 d
Crustacea	LC50	Daphnia magna	1535 mg/l, 24 h
Fish	LC50	Leuciscus idus	440 - 760 mg/l, 96 h OECD 203
Other	EC50	Pseudomonas putida	4235 mg/l, 18 h OECD 209
DECYL GLUCOSIDE (C	CAS 68515-73-1)		
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	19 mg/l, 72 h DIN 38412 PT 9
Crustacea	EC50	Daphnia magna	7 mg/l, 48 h OECD 202
	NOEC	Daphnia magna	2 mg/l, 21 d OECD 202
Fish	LC50	Danio rerio	2.95 mg/l, 96 h OECD 203
Other	EC0	Pseudomonas putida	1000 mg/l, 0.5 h DIN 38412 PT 8
Chronic			
Fish	NOEC	Danio rerio	1.8 mg/l, 28 d OECD 204
SALICYLIC ACID (CAS	69-72-7)		
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	> 100 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	870 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	1370 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 202
SODIUM COCOYL ISE	THIONATE (CAS	61789-32-0)	
Aquatic			
Acute	EC50	Dagudakirahnarialla auhaanitata	1 10 mg/L 72 h OECD 201
Algae		Pseudokirchneriella subcapitata	1 - 10 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	10 - 100 mg/l, 48 h OECD 202
Fish	LC50	Oncorhynchus mykiss	10 - 100 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
Chronic	5040	5	0.4.4. # 70.1.05.00.004
Algae	EC10	Pseudokirchneriella subcapitata	0.1 - 1 mg/l, 72 h OECD 201

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

97 % OECD 301 B CITRIC ACID

Test Duration: 28 d SALICYLIC ACID 100 % OECD 301 C

Result: Readily Biodegradable

Test Duration: 28 d

SODIUM COCOYL ISETHIONATE 78 % OECD 301 D

Result: Readily Biodegradable

Test Duration: 28 d

Percent degradation (Aerobic biodegradation-inherent)

DECYL GLUCOSIDE 100 % OECD 301 E

Result: Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

CITRIC ACID -1.64 SALICYLIC ACID 2.26 SODIUM COCOYL ISETHIONATE -0.41

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No (Exempt)

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

16. Other information, including date of preparation or last revision

02-02-2023 Issue date **Revision date** 02-03-2023

Version # 02

NFPA ratings Health: 3

Flammability: 1 Instability: 0

The information provided in this Safety Data Sheet is correct to the best of our knowledge, **Disclaimer**

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information Composition / Information on Ingredients: Ingredients

Material name: BIOLAGE BOND THERAPY SHAMPOO

SDS US 1218346MX11 Version #: 02 Revision date: 02-03-2023 Issue date: 02-02-2023