

1. Identification

Product identifier REDKEN EXTREME LENGTHS CONDITIONER
Other means of identification
SDS number 00-12-0000650
Recommended use Personal care product used for cosmetic effect.
Recommended restrictions None known.
Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc
 133 Terminal Avenue
 Clark, NJ 07066
 USA

Canadian Address: L'Oreal Canada
 4895 rue Hickmore
 Ville St-Laurent, H4T 1K5
 Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
 In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Serious eye damage/eye irritation Category 2A
 Sensitization, skin Category 1
 Specific target organ toxicity, repeated exposure Category 2
OSHA defined hazards Not classified.

Label elements



Signal word Warning
Hazard statement May cause an allergic skin reaction. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.
Precautionary statement
Prevention Do not breathe mist/vapors. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.
Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse.
Storage Store away from incompatible materials.

Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
MALEIC ACID		110-16-7	1.9
BEHENTRIMONIUM METHOSULFATE		81646-13-1	1

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Do not breathe mist/vapors. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.
Skin protection	
Hand protection	Applicable for industrial settings only. Wear appropriate chemical resistant gloves.
Other	Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Cream.
Color	White.
Odor	Characteristic.
Odor threshold	Not available.
pH	3 - 4
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 212.0 °F (> 100.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
REDKEN EXTREME LENGTHS CONDITIONER		
Acute		
Dermal		
ATEmix		63130 mg/kg
Oral		
ATEmix		33230 mg/kg

Components	Species	Test Results
------------	---------	--------------

BEHENTRIMONIUM METHOSULFATE (CAS 81646-13-1)

Acute

Oral

LD50 Rat 3190 mg/kg bw/d OECD 401

MALEIC ACID (CAS 110-16-7)

Acute

Dermal

LD50 Rabbit 1560 mg/kg bw

Inhalation

LC50 Rat > 0.72 mg/L air, 1 h Based on test data for structurally similar materials.

Oral

LD50 Rat 708 mg/kg bw OECD 401

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. No adverse effects due to skin contact are expected.

Irritation Corrosion - Skin

BEHENTRIMONIUM METHOSULFATE	OECD 404 Result: Irritating Species: Rabbit
MALEIC ACID	OECD 435 Result: Corrosive Species: RhE

Serious eye damage/eye irritation Causes serious eye irritation.

Irritation Corrosion - Eye

BEHENTRIMONIUM METHOSULFATE	OECD 405 Result: Corrosive Species: Rabbit
MALEIC ACID	Result: Corrosive Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Skin sensitization

BEHENTRIMONIUM METHOSULFATE	OECD 406 Result: Not Sensitizing Species: Guinea pig
MALEIC ACID	OECD 429 Result: Sensitizing Species: Mouse

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Mutagenicity

BEHENTRIMONIUM METHOSULFATE	Result: In vitro tests did not show mutagenic effects
MALEIC ACID	Result: In vitro tests did not show mutagenic effects

Carcinogenicity Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Developmental effects

BEHENTRIMONIUM METHOSULFATE	30 mg/kg bw/d OECD 421 Result: NOAEL Species: Rat
-----------------------------	---

Reproductivity

MALEIC ACID	20 mg/kg bw/d OECD 416 Result: LOEL Species: Rabbit Notes: Based on test data for structurally similar materials.
BEHENTRIMONIUM METHOSULFATE	75 mg/kg bw/d OECD 421 Result: NOAEL Species: Rat

Specific target organ toxicity - single exposure Due to partial or complete lack of data the classification is not possible.

MALEIC ACID	0, Respiratory Result: Irritating
-------------	--------------------------------------

Specific target organ toxicity - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Specific target organ toxicity - repeated exposure

BEHENTRIMONIUM METHOSULFATE

10 mg/kg bw/d OECD 407, Oral

Result: NOAEL

Species: Rat

Test Duration: 28 d

MALEIC ACID

60 mg/kg bw/d OECD 409

Result: NOEL

Species: Dog

Test Duration: 90 days

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Chronic effects

May cause damage to organs through prolonged or repeated exposure.

Further information

May cause allergic respiratory and skin reactions.

12. Ecological information**Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
BEHENTRIMONIUM METHOSULFATE (CAS 81646-13-1)		
Aquatic		
<i>Acute</i>		
Algae	EC50	Desmodesmus subspicatus 3.48 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna 1.39 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio 0.5 - 1 mg/l, 96 h OECD 201
Other	EC50	Activated sludge of a predominantly domestic sewage 43 mg/l, 3 h OECD 209
<i>Chronic</i>		
Crustacea	NOEC	Daphnia magna 0.128 mg/l, 21 d OECD 211
Fish	NOEC	Danio rerio 0.24 mg/l, 9 d OECD 212
MALEIC ACID (CAS 110-16-7)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna) 250 - 400 mg/l, 48 hours
<i>Acute</i>		
Algae	EC50	Pseudokirchneriella subcapitata > 150 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna 160 mg/l, 24 h DIN 38412, Pt. 11
Fish	LC50	Leuciscus idus 106 mg/l, 96 h DIN 38412, Pt. 15
Other	EC10	Pseudomonas putida 44.6 mg/l, 18 h DIN 38412, Pt. 8

Persistence and degradability**Biodegradability****Percent degradation (Aerobic biodegradation)**

BEHENTRIMONIUM METHOSULFATE

80 % OECD 301 B

Result: Readily Biodegradable

Test Duration: 28 d

MALEIC ACID

97 % OECD 30 B

Result: Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential**Partition coefficient n-octanol / water (log Kow)**

MALEIC ACID

-2.61 OECD 107

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations**Disposal instructions**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

MALEIC ACID (CAS 110-16-7) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

16. Other information, including date of preparation or last revision

Issue date 10-21-2019

Version # 01

NFPA ratings

Health: 2
Flammability: 1
Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.