SAFETY DATA SHEET



1. Identification

Product identifier	REDKEN EXTREME LENGTHS SHAMPOO	
Other means of identification		
SDS number	00-11-0000397	
Recommended use	Personal care product used for cosmetic effect.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
US Address:	L'Oreal USA Products, Inc	
	133 Terminal Avenue	

	Clark, NJ 07066 USA
Canadian Address:	L'Oreal Canada 4895 rue Hickmore
	Ville St-Laurent, H4T 1K5 Canada
Emergency Phone # :	1-800-535-5053 (International: 352-323-3500) In Canada - 1-613-996-6666 (Canutec (*666 Cellular))
For further Information:	1-732-499-2741
Poison Control # :	412-390-3326

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger		
Hazard statement	Causes skin irritation. Causes serious eye damage.		
Precautionary statement			
Prevention	Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.		
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of waste and residues in accordance with local authority requirements.		
Hazard(s) not otherwise classified (HNOC)	None known.		

3. Composition/information on ingredients

Mixtures

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
SODIUM LAURETH SULFATE		3088-31-1	11.2
*Designates that a specific chemica	al identity and/or percentage of composition has	been withheld as a trade se	ecret.
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms	develop or persist.	
Skin contact	Remove contaminated clothing. Wash with plea medical advice/attention. Wash contaminated of		n irritation occurs: Get
Eye contact	Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Get r		
ngestion	Rinse mouth. Get medical attention if symptom	s occur.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redne and pain.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		ake precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbo	n dioxide (CO2).	
Unsuitable extinguishing nedia	Do not use water jet as an extinguisher, as this	will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pro	tective clothing must be wo	rn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so	o without risk.	
Specific methods	Use standard firefighting procedures and consi	der the hazards of other inv	olved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	ures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep peop appropriate protective equipment and clothing or or spilled material unless wearing appropriate p Local authorities should be advised if significant protection, see section 8 of the SDS.	during clean-up. Do not toue protective clothing. Ensure a	ch damaged container adequate ventilation.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is possible. Absorb in vermiculite, dry sand or ear recovery, flush area with water.	without risk. Dike the spilled th and place into containers	d material, where this i s. Following product
	Small Spills: Wipe up with absorbent material (remove residual contamination.	e.g. cloth, fleece). Clean su	rface thoroughly to
	Never return spills to original containers for re-		e section 13 of the SD
Environmental precautions	Avoid discharge into drains, water courses or o	nito the ground.	
7. Handling and storage			
Precautions for safe handling	Do not get this material in contact with eyes. As adequate ventilation. Wear appropriate persona hygiene practices.		
Conditions for safe storage,	Store in original tightly closed container. Keep	out of the reach of children	Store away from

8. Exposure controls/personal protection

Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.	
Individual protection measures, s	such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield.	
Skin protection		
Hand protection	Wear appropriate chemical resistant gloves.	
Other	Wear appropriate chemical resistant clothing.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

9. Physical and chemical properties

Appearance		
Physical state	Liquid.	
Form	Viscous Liquid	
Color	Colorless.	
Odor	Characteristic.	
Odor threshold	Not available.	
рН	5 - 5.6	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	> 212 °F (> 100 °C)	
Flash point	> 212.0 °F (> 100.0 °C) Closed Cup	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Specific gravity	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

11. I oxicological informa	tion			
Information on likely routes of e	Information on likely routes of exposure			
Inhalation	No adverse effects due to inhalation are expected.			
Skin contact	Causes skin irritation.	Causes skin irritation.		
Eye contact	Causes serious eye damage.			
Ingestion	Expected to be a low ingestion	n hazard.		
Symptoms related to the physical, chemical and toxicological characteristics		ns may include stinging, tearing, redness, swelling, and blurred le including blindness could result. Skin irritation. May cause		
Information on toxicological eff	ects			
Acute toxicity	Not known.			
Product	Species	Test Results		
REDKEN EXTREME LENGTHS	SHAMPOO			
<u>Acute</u> Oral ATEmix		4200.0924 mg/kg		
Components	Species	Test Results		
SODIUM LAURETH SULFATE (C	CAS 3088-31-1)			
<u>Acute</u> Dermal LD50	Rat	> 2000 mg/kg OECD 402		
Oral				
LD50	Rat	2870 mg/kg OECD 401		
* Estimates for product may t	be based on additional compone	nt data not shown.		
Skin corrosion/irritation	Causes skin irritation.			
Irritation Corrosion - Skin SODIUM LAURETH SULFATE		OECD 404 Result: Irritating Species: Rabbit		
Serious eye damage/eye irritation	Causes serious eye damage.			
Irritation Corrosion - Eye SODIUM LAURETH SULFATE		OECD 405, (≥ 10%) Result: Serious eye damage Species: Rabbit		
Respiratory or skin sensitizatio	n			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected t	o cause skin sensitization.		
Skin sensitization SODIUM LAURETH	SULFATE	OECD 406 Result: Not Sensitizing Species: Guinea pig		
Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	product or any components present at greater than 0.1% are		
Mutagenicity				
SODIUM LAURETH	JULFAIE	Result: In vitro and in vivo tests did not show mutagenic effects.		

Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
	Evaluation of Carcinogenicity		
OSHA Specifically Regulate	ed Substances (29 CFR 1910.1	1001-1050)	
Not regulated. US. National Toxicology Pr	ogram (NTP) Report on Carciı	nogens	
Not listed.			
Reproductive toxicity	This product is not expected	to cause reproductive or developmental effects.	
Developmental effects SODIUM LAURETH	SULFATE	1000 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat	
Reproductivity SODIUM LAURETH	SULFATE	300 mg/kg bw/d OECD 416 Result: NOAEL Species: Rat	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
SODIUM LAURETH SULFAT	E	>= 225 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d	
Aspiration hazard	Not an aspiration hazard.		

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
DIUM LAURETH S	ULFATE (CAS 308	8-31-1)	
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	27 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	7.2 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	7.1 mg/l, 96 h OECD 203
Other	EC50	Pseudomonas putida	> 10000 mg/l, 16 h DIN 38412 - 8
Chronic			
Crustacea	NOEC	Daphnia magna	0.27 mg/l, 21 d OECD 211
Fish	NOEC	Oncorhynchus mykiss	0.14 mg/l, 28 d OECD 204

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

Biodegradability Percent degradation (A	erobic biodegradation)	
SODIUM LAURETH SULFATE		100 % EU C.4-A Result: Readily Biodegradable Test Duration: 28 d
Bioaccumulative potential		
Partition coefficient n-octanol / water (log Kow) SODIUM LAURETH SULFATE		0.3 OECD 123
Mobility in soil	No data available.	
Other adverse effects		tal effects (e.g. ozone depletion, photochemical ozone creation , global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	Not regulated.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Hazard categories

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)		
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	

16. Other information, including date of preparation or last revision

Issue date	05-08-2019
Version #	01
NFPA ratings	Health: 3 Flammability: 1 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.